



Ultimate Valve Preamplifier



DalbyAudioDesign

D7

DalbyAudioDesign

D7

Model shown: D7-LP preamplifier with optional support plinth.







Dalby Audio preamplifiers are designed and exclusively handmade in England. The D7 captures the emotion of the recording with a 3 dimensional 'walk through' musical picture regardless of listening position. Put simply, the D7 has a sound quality that is peerless.

The D7 is finished with 9 carat gold plated exterior panels, supported by a Tri-composite chassis of; Mahogany, copper and carbon fibre. This isolates and controls the microphonic vibrations and protects the preamplifier from external EMI and RFI influences. Point to point wiring is employed throughout for the purest circuit and signal transfer, allowing the retrieval of every harmonic detail. The D7 is configured on a dual platform separating the signals of the head unit from the operation of the power supply. 2 'KYOKU' mains transformers are used in parallel for ultra silent operation. The D7 preamplifier comes with a dedicated pure silver umbilical cord to connect to the PSU. The head unit sits on 3 specially designed carbon fibre feet which employ a 3 point ceramic bearing system.

## PRODUCT DNA

KYOKU transformers  
GZ37 or EZ81 valve rectification  
Solid silver RCA inputs x3  
Pure silver litz and solid core wiring  
2m (80 strand) pure silver umbilical cord  
Shinkoh resistors  
Duelund output capacitors

Copper screening and silicone dampening  
to power supply capacitors

### Tri-composite chassis system:

9 carat gold over solid brass exterior  
31mm solid Mahogany support frame  
Pure copper internal screening platforms  
Carbon fibre-ceramic isolation feet




[www.dalbyaudiodesign.co.uk](http://www.dalbyaudiodesign.co.uk)

Powered by:



CARBON FIBRE / CERAMIC ISOLATION FEET



Available in black or gold in sets of 3

## OPTIONAL FEATURES

External isolation capacitor bank  
with 2 additional preamp outputs (silver wired)


XLR connections for balanced operation  
Solid Mahogany / gold support plinth




DalbyAudioDesign




## D7-L



## D7-P



## D7-LP



### D7-L Preamplifier

Ultimate dual chassis Line stage preamplifier with external PSU.  
Valve compliment: OC3A x4, 12B4A x4, EZ81/GZ37 x1

### D7-P Preamplifier

Ultimate dual chassis Phono preamplifier (battery biased)  
with external PSU. Valve compliment: OC3A x4,  
6SN7GT x1, 12B4A x4, EZ81/GZ37 x1

### D7-LP Preamplifier

Ultimate dual chassis Line / Phono integrated preamplifier  
(battery biased phono stage) with external PSU.  
Valve compliment: OC3A x4, 12B4A x4, 6GK5 x2,  
417A x2, EZ81/GZ37 x1

### Dimensions:

Head Unit: 364mm (w) x 205mm (h) x 421mm (d)  
PSU: 171mm (w) x 395mm (h) x 421mm (d)  
Weight: Head unit: 21kg / PSU: 32kg

## Product Line

### D7 Preamplifier

Ultimate valve preamplifier with external PSU. Available  
in 3 configurations with 9 carat goldplated finishing

### D7-211SE Mono Amplifiers

20 watt single ended dual mono amplifiers  
in 9 carat gold plated finishing

### DSP-100 Power Cord

80 strands of pure silver with gold  
plated copper ground conductors

### DPS-50 Interconnect

50 strands of pure silver with gold  
plated copper conductors (RCA & XLR)

[www.dalbyaudiodesign.co.uk](http://www.dalbyaudiodesign.co.uk) | [enquires@dalbyaudiodesign.co.uk](mailto:enquires@dalbyaudiodesign.co.uk) | T. +44 (0) 7834 475 626

DalbyAudioDesign © withhold the right to change or alter product specification without prior notice. Dalby Audio products are hand built to order and are subject to a waiting list. Please contact us or your dealer for further details.

